

# Attestation of Scan Compliance

A.1 Scan Customer Information		A.2 Approved Scanning Vendor Information	
<b>Company:</b>	HEMKO Systems Corporation	<b>Company:</b>	Trustwave Holdings, Inc.
<b>Contact Name:</b>	Harry Hemstreet	<b>Contact Name:</b>	Trustwave Support
<b>Job Title:</b>		<b>Job Title:</b>	
<b>Telephone:</b>	970-667-0460	<b>Telephone:</b>	1-800-363-1621
<b>E-mail:</b>	hhemstreet@hemko.com	<b>E-mail:</b>	support@trustwave.com
<b>Business Address:</b>	5560 Stone Church Court	<b>Business Address:</b>	70 West Madison St., Ste 1050
<b>City:</b>	Loveland	<b>City:</b>	Chicago
<b>State/Province:</b>	Colorado	<b>State/Province:</b>	IL
<b>ZIP/Postal Code:</b>	80537	<b>ZIP/Postal Code:</b>	60602
<b>Country:</b>	US	<b>Country:</b>	US
<b>Website / URL:</b>		<b>Website / URL:</b>	www.trustwave.com

A.3 Scan Status			
Date scan completed:	2018-06-30	Scan expiration date (90 days from date scan completed):	2018-09-30
Compliance status:	Pass	Scan report type:	Full Scan
Number of unique in-scope components scanned:	1		
Number of identified failing vulnerabilities:	0		
Number of components found by ASV but not scanned because scan customer confirmed they were out of scope:	0		

A.4 Scan Customer Attestation	A.5 ASV Attestation
<p>HEMKO Systems Corporation attests on 2018-06-30 that this scan (either by itself or combined with multiple, partial, or failed scans/rescans, as indicated in the above Section A.3, "Scan Status") includes all components which should be in scope for PCI DSS, any component considered out of scope for this scan is properly segmented from my cardholder data environment, and any evidence submitted to the ASV to resolve scan exceptions-including compensating controls if applicable-is accurate and complete. HEMKO Systems Corporation also acknowledges 1) accurate and complete scoping of this external scan is my responsibility, and 2) this scan result only indicates whether or not my scanned systems are compliant with the external vulnerability scan requirement of PCI DSS; this scan result does not represent my overall compliance status with PCI DSS or provide any indication of compliance with other PCI DSS requirements.</p>	<p>This scan and report was prepared and conducted by Trustwave under certificate number 3702-01-12 (2017), 3702-01-11 (2016), 3702-01-10 (2015), 3702-01-09 (2014), 3702-01-08 (2013), 3702-01-07 (2012), 3702-01-06 (2011), 3702-01-05 (2010), according to internal processes that meet PCI DSS Requirement 11.2.2 and the ASV Program Guide.</p> <p>Trustwave attests that the PCI DSS scan process was followed, including a manual or automated Quality Assurance process with customer boarding and scoping practices, review of results for anomalies, and review and correction of 1) disputed or incomplete results, 2) false positives, 3) compensating controls (if applicable), and 4) active scan interference. This report and any exceptions were reviewed by the Trustwave Quality Assurance Process.</p>

## Vulnerability Scan Report: Table of Contents

<b>Attestation of Scan Compliance</b>	<b>1</b>
<b>ASV Scan Report Summary</b>	<b>3</b>
Part 1. Scan Information	3
Part 2. Component Compliance Summary	3
Part 3a. Vulnerabilities Noted for Each Component	3
Part 3b. Special Notes by Component	4
Part 3c. Special Notes - Full Text	5
Part 4a. Scope Submitted by Scan Customer for Discovery	5
Part 4b. Scan Customer Designated "In-Scope" Components (Scanned)	5
Part 4c. Scan Customer Designated "Out-of-Scope" Components (Not Scanned)	5
<b>ASV Scan Report Vulnerability Details</b>	<b>6</b>
Part 1. Scan Information	6
Part 2. Vulnerability Details	6
67.227.238.50	6

# ASV Scan Report Summary

## Part 1. Scan Information

Scan Customer Company	HEMKO Systems Corporation	ASV Company	Trustwave Holdings, Inc.
Date Scan Completed	2018-06-30	Scan Expiration Date	2018-09-28

## Part 2. Component Compliance Summary

Component (IP Address, domain, etc):	67.227.238.50 - reg.planetreg.com	Pass
--------------------------------------	-----------------------------------	------

## Part 3a. Vulnerabilities Noted for Each Component

#	Component	Vulnerabilities Noted per Component	Severity Level	CVSS Score	Compliance Status	Exceptions, False Positives, or Compensating Controls (Noted by the ASV for this vulnerability)
1	67.227.238.50	No X-FRAME-OPTIONS Header	Low	2.60	Pass	<b>Note to scan customer:</b> This vulnerability is not recognized in the National Vulnerability Database.
2	67.227.238.50	Auto-Completion Enabled for Password Fields	Low	1.20	Pass	<b>Note to scan customer:</b> This vulnerability is not recognized in the National Vulnerability Database.
3	67.227.238.50	.ida/idq ISAPI Mappings	Low	0.00	Pass	<b>Note to scan customer:</b> This vulnerability is not recognized in the National Vulnerability Database.
4	67.227.238.50	.htr ISAPI Mappings	Info	0.00	Pass	
5	67.227.238.50	Discovered HTTP Methods	Info	0.00	Pass	
6	67.227.238.50	Discovered Web Applications	Info	0.00	Pass	
7	67.227.238.50	Discovered Web Directories	Info	0.00	Pass	

## ASV Scan Report Summary

#	Component	Vulnerabilities Noted per Component	Severity Level	CVSS Score	Compliance Status	Exceptions, False Positives, or Compensating Controls (Noted by the ASV for this vulnerability)
8	67.227.238.50	Enumerated Applications	Info	0.00	Pass	<b>Note to scan customer:</b> This vulnerability is not recognized in the National Vulnerability Database.
9	67.227.238.50	Enumerated Hostnames	Info	0.00	Pass	
10	67.227.238.50	Enumerated SSL/TLS Cipher Suites	Info	0.00	Pass	
11	67.227.238.50	HTTP Responses Missing Character Encoding	Info	0.00	Pass	
12	67.227.238.50	Protected Web Page	Info	0.00	Pass	
13	67.227.238.50	SSL-TLS Certificate Information	Info	0.00	Pass	<b>Note to scan customer:</b> This vulnerability is not recognized in the National Vulnerability Database.
14	67.227.238.50	Unknown services found	Info	0.00	Pass	
15	67.227.238.50	URLScan Detected	Info	0.00	Pass	

*Consolidated Solution/Correction Plan for the above Component:*

- Configure the HTTP service(s) running on this host to adhere to information security best practices.
- Restrict access to any files, applications, and/or network services for which there is no business requirement to be publicly accessible.
- Ensure that any web applications running on this host is configured following industry security best practices.
- Ensure that any web applications running on this host properly validate and transmit user input in a secure manner.

### Part 3b. Special Notes by Component

# ASV Scan Report Summary

#	Component	Special Note	Item Noted	Scan customer's description of action taken and declaration that software is either implemented securely or removed
1	67.227.238.50	Unknown services		

### Part 3c. Special Notes - Full Text

Note

**Unknown services**

Note to scan customer: Unidentified services have been detected. Due to increased risk to the cardholder data environment, identify the service, then either 1) justify the business need for this service and confirm it is securely implemented, or 2) identify the service and confirm that it is disabled. Consult your ASV if you have questions about this Special Note.

### Part 4a. Scope Submitted by Scan Customer for Discovery

IP Address/ranges/subnets, domains, URLs, etc.

Domain: reg.planetreg.com

### Part 4b. Scan Customer Designated "In-Scope" Components (Scanned)

IP Address/ranges/subnets, domains, URLs, etc.

67.227.238.50 / reg.planetreg.com

### Part 4c. Scan Customer Designated "Out-of-Scope" Components (Not Scanned)

IP Address/ranges/subnets, domains, URLs, etc.

69.167.163.100 -- Scan customer attests that target or targets are out-of-scope and do not need to be scanned for PCI.

# ASV Scan Report Vulnerability Details

## Part 1. Scan Information

Scan Customer Company	HEMKO Systems Corporation	ASV Company	Trustwave Holdings, Inc.
Date Scan Completed	2018-06-30	Scan Expiration Date	2018-09-28

## Part 2. Vulnerability Details

The following issues were identified during this scan. Please review all items and address all that items that affect compliance or the security of your system.

In the tables below you can find the following information about each TrustKeeper finding.

- **CVE Number** - The Common Vulnerabilities and Exposure number(s) for the detected vulnerability - an industry standard for cataloging vulnerabilities. A comprehensive list of CVEs can be found at [nvd.nist.gov](http://nvd.nist.gov) or [cve.mitre.org](http://cve.mitre.org).
- **Vulnerability** - This describes the name of the finding, which usually includes the name of the application or operating system that is vulnerable.
- **CVSS Score** - The Common Vulnerability Scoring System is an open framework for communicating the characteristics and impacts of IT vulnerabilities. Further information can be found at [www.first.org/cvss](http://www.first.org/cvss) or [nvd.nist.gov/cvss.cfm](http://nvd.nist.gov/cvss.cfm).
- **Severity** - This identifies the risk of the vulnerability. It is closely associated with the CVSS score.
- **Compliance Status** - Findings that are PCI compliance violations are indicated with a Fail status. In order to pass a vulnerability scan, these findings must be addressed. Most findings with a CVSS score of 4 or more, or a Severity of Medium or higher, will have a Fail status. Some exceptions exist, such as DoS vulnerabilities, which are not included in PCI compliance.
- **Details** - TrustKeeper provides the port on which the vulnerability is detected, details about the vulnerability, links to available patches and other specific guidance on actions you can take to address each vulnerability.

For more information on how to read this section and the scoring methodology used, please refer to the appendix.

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
1		No X-FRAME-OPTIONS Header	2.60	Low	Pass	<b>Port:</b> tcp/80  This host does not appear to utilize the benefits that the X-FRAME-

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>OPTIONS HTTP header element offers. This header may be implemented to prevent pages on this system from being used in part of a click-jacking scenario. The X-FRAME-OPTIONS header specifies what systems (if any) are allowed to refer to pages on this system (when the page is to appear within a HTML frame type of object).</p> <p><b>CVSSv2:</b> AV:N/AC:H/Au:N/C:N/I:P/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS">https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS</a></p> <p><b>Evidence:</b>  url: http://67.227.238.50/default.asp  Headers: {"cache-control"=&gt;["private"], "content-type"=&gt;["text/html"], "server"=&gt;["Microsoft-IIS/10.0"], "set-cookie"=&gt;["ASPSESSIONIDQABBTBAB=OPJEEGNDGAFKKNFNKHFAGOC C; path=/; HttpOnly"], "x-powered-by"=&gt;["ASP.NET"], "date"=&gt;["Sat, 30 Jun 2018 18:02:39 GMT"], "content-length"=&gt;["258"]}</p> <p><b>Remediation:</b>  Consider utilizing the X-FRAME-OPTIONS header option to prevent click-jacking type of attacks.</p>
2		No X-FRAME-OPTIONS Header	2.60	Low	Pass	<p><b>Port:</b> tcp/80</p> <p>This host does not appear to utilize the benefits that the X-FRAME-OPTIONS HTTP header element offers. This header may be implemented to prevent pages on this system from being used in part of a click-jacking scenario. The X-FRAME-OPTIONS header specifies</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>what systems (if any) are allowed to refer to pages on this system (when the page is to appear within a HTML frame type of object).</p> <p><b>CVSSv2:</b> AV:N/AC:H/Au:N/C:N/I:P/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS">https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS</a></p> <p><b>Evidence:</b>            url: http://reg.planetreg.com/            Headers: {"cache-control"=&gt;["private"], "content-type"=&gt;["text/html"], "server"=&gt;["Microsoft-IIS/10.0"], "set-cookie"=&gt;["ASPSESSIONIDQABBTBAB=BPHEEGNDELPPAPDMEMGFMKOMA; path=/; HttpOnly"], "x-powered-by"=&gt;["ASP.NET"], "date"=&gt;["Sat, 30 Jun 2018 18:00:37 GMT"], "content-length"=&gt;["9760"]}</p> <p><b>Remediation:</b>            Consider utilizing the X-FRAME-OPTIONS header option to prevent click-jacking type of attacks.</p>
3		No X-FRAME-OPTIONS Header	2.60	Low	Pass	<p><b>Port:</b> tcp/443</p> <p>This host does not appear to utilize the benefits that the X-FRAME-OPTIONS HTTP header element offers. This header may be implemented to prevent pages on this system from being used in part of a click-jacking scenario. The X-FRAME-OPTIONS header specifies what systems (if any) are allowed to refer to pages on this system (when the page is to appear within a HTML frame type of object).</p>



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>CVSSv2:</b> AV:N/AC:H/Au:N/C:N/I:P/A:N</p> <p><b>Service:</b> http</p> <p><b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS">https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS</a></p> <p><b>Evidence:</b>            url: https://67.227.238.50/default.asp            Headers: {"cache-control"=&gt;["private"], "content-type"=&gt;["text/html"], "server"=&gt;["Microsoft-IIS/10.0"], "set-cookie"=&gt;["ASPSESSIONIDQEBBTBAB=FHDFEGNDLGGCPIILAFDHJELM; secure; path=/; HttpOnly"], "x-powered-by"=&gt;["ASP.NET"], "date"=&gt;["Sat, 30 Jun 2018 18:08:50 GMT"], "content-</p> <p><b>Remediation:</b>            Consider utilizing the X-FRAME-OPTIONS header option to prevent click-jacking type of attacks.</p>
4		No X-FRAME-OPTIONS Header	2.60	Low	Pass	<p><b>Port:</b> tcp/443</p> <p>This host does not appear to utilize the benefits that the X-FRAME-OPTIONS HTTP header element offers. This header may be implemented to prevent pages on this system from being used in part of a click-jacking scenario. The X-FRAME-OPTIONS header specifies what systems (if any) are allowed to refer to pages on this system (when the page is to appear within a HTML frame type of object).</p> <p><b>CVSSv2:</b> AV:N/AC:H/Au:N/C:N/I:P/A:N</p> <p><b>Service:</b> http</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS">https://www.owasp.org/index.php/Clickjacking#X-FRAME-OPTIONS</a></p> <p><b>Evidence:</b>            url: https://reg.planetreg.com/            Headers: {"cache-control"=&gt;["private"], "content-type"=&gt;["text/html"], "server"=&gt;["Microsoft-IIS/10.0"], "set-cookie"=&gt;["ASPSESSIONIDQEBBTBAB=GGBFEGNDGBBAAAMPFJJNIPE; secure; path=/; HttpOnly"], "x-powered-by"=&gt;["ASP.NET"], "date"=&gt;["Sat, 30 Jun 2018 18:06:45 GMT"], "content-</p> <p><b>Remediation:</b>            Consider utilizing the X-FRAME-OPTIONS header option to prevent click-jacking type of attacks.</p>
5		Auto-Completion Enabled for Password Fields	1.20	Low	Pass	<p><b>Port:</b> tcp/443</p> <p>The web server running on this host uses password fields that allow auto-completion by users' browsers. This could allow a user's credentials to be stored by the browser and subsequently exposed if the user's computer becomes compromised.</p> <p><b>CVSSv2:</b> AV:L/AC:H/Au:N/C:P/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://msdn.microsoft.com/en-us/library/ms533032.aspx">http://msdn.microsoft.com/en-us/library/ms533032.aspx</a></p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<a href="https://developer.mozilla.org/En/How_to_Turn_Off_Form_Autocompleti">https://developer.mozilla.org/En/How_to_Turn_Off_Form_Autocompleti</a> <b>Evidence:</b> Location: <a href="https://reg.planetreg.com/add_account.asp">https://reg.planetreg.com/add_account.asp</a> Form Name: form1 Action: <a href="https://reg.planetreg.com/forgot.asp?1=LU">https://reg.planetreg.com/forgot.asp?1=LU</a> Fields: txtPassword (password), txtPassword2 (password)  <b>Remediation:</b> Modify the identified page so that the password field and the enclosing form tags have an attribute named "autocomplete" with a value of "off".  If this is a vendor application, contact the vendor for an updated version of the application or guidance on addressing this issue.
6		.ida/idq ISAPI Mappings	0.00	Low	Pass	<b>Port:</b> tcp/80  Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b>            Request: GET /trustkeeper12345.ida HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: 67.227.238.50            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQABBTBAB=DDCGEGNDCOFBLBBNJECBKPLB; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:06 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
7		.ida/idq ISAPI Mappings	0.00	Low	Pass	<p><b>Port:</b> tcp/80</p> <p>Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.idq HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: 67.227.238.50            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQABBTBAB=NCCGEGNDMGCFBBFEMLAGMBPF; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:05 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						extensions.
8		.ida/idq ISAPI Mappings	0.00	Low	Pass	<p><b>Port:</b> tcp/80</p> <p>Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.ida HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: reg.planetreg.com            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQABBTBAB=CDCGEGNDBMNAALPGDELLHED; path=/;</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						HttpOnly X-Powered-By: ASP.NET Date: Sat, 30 Jun 2018 18:19:05 GMT Content-Length: 8024 Status code: equals '200'  <b>Remediation:</b> Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.
9		.ida/idq ISAPI Mappings	0.00	Low	Pass	<b>Port:</b> tcp/80  Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> Request: GET /trustkeeper12345.idq HTTP/1.1 Accept: */* User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) Host: reg.planetreg.com Content-Type: text/html

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQABBTBAB=LCCGEGNDLONDCKGGFNGEOPCH; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:05 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
10		.ida/idq ISAPI Mappings	0.00	Low	Pass	<p><b>Port:</b> tcp/443</p> <p>Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N</p>



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.ida HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: 67.227.238.50            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQEBBTBAB=HDCGEGNDLGJLNKBAAKIAMFPD;            secure; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:06 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
11		.ida/idq ISAPI Mappings	0.00	Low	Pass	<p><b>Port:</b> tcp/443</p> <p>Microsoft IIS provides a search capability via the Internet Data Query</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.idq HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: 67.227.238.50            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQEBBTBAB=EDCGEGNDPBLPCBGBAMHLIGNH; secure; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:06 GMT            Content-Length: 8024            Status code: equals '200'</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<b>Remediation:</b> Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.
12		.ida/idq ISAPI Mappings	0.00	Low	Pass	<b>Port:</b> tcp/443  Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> Request: GET /trustkeeper12345.ida HTTP/1.1 Accept: */* User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) Host: reg.planetreg.com Content-Type: text/html Content-Length: 0  Response: HTTP/1.1 200 OK Cache-Control: private Content-Type: text/html

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						Server: Microsoft-IIS/10.0 Set-Cookie: ASPSESSIONIDQEBBTBAB=IDCGEGNDGDKJIDBBAIOKMEKG; secure; path=/; HttpOnly X-Powered-By: ASP.NET Date: Sat, 30 Jun 2018 18:19:06 GMT Content-Length: 8024 Status code: equals '200'  <b>Remediation:</b> Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.
13		.ida/idq ISAPI Mappings	0.00	Low	Pass	<b>Port:</b> tcp/443  Microsoft IIS provides a search capability via the Internet Data Query service. This ISAPI extension is known to have numerous serious security vulnerabilities, including the ones that were used in the Code Red exploit. Your service appears to have .ida and .idq file extensions mapped to this ISAPI extension. Note that this test simply checks to see if the mapping is enabled, and does not validate specific vulnerabilities in the service.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> Request: GET /trustkeeper12345.idq HTTP/1.1 Accept: */* User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>Host: reg.planetreg.com            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQEBBTBAB=BDCGEGNDFEFFKLHFPNCOGBOF; secure; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:06 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
14		.htr ISAPI Mappings	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>Microsoft HTR extensions are known to have numerous serious security vulnerabilities.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b>  Request: GET /trustkeeper12345.htr HTTP/1.1  Accept: */*  User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)  Host: 67.227.238.50  Content-Type: text/html  Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK  Cache-Control: private  Content-Type: text/html  Server: Microsoft-IIS/10.0  Set-Cookie: ASPSESSIONIDQABBTBAB=NECGEGNDGJGPCPJHCECEBJCI; path=/; HttpOnly  X-Powered-By: ASP.NET  Date: Sat, 30 Jun 2018 18:19:09 GMT  Content-Length: 8024  Status code: equals '200'</p> <p><b>Remediation:</b>  Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
15		URLScan Detected	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>The web server appears to be using Microsoft's URLScan tool, an ISAPI filter that can be configured to block specified web requests.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Reference:</b> <a href="http://technet.microsoft.com/en-us/security/cc242650.aspx">http://technet.microsoft.com/en-us/security/cc242650.aspx</a>  <b>Evidence:</b> Method: urlscan.ini 'MaxQueryString' is set to the default of 2048. Query strings longer than 2048 characters are rejected.  <b>Remediation:</b> No remediation necessary. This is identified for informational purposes.
16		Enumerated Applications	0.00	Info	Pass	<b>Port:</b> tcp/80  The following applications have been enumerated on this device.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> CPE: microsoft:iis URI: / Version: 10.0  <b>Remediation:</b> No remediation is required.

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
17		Enumerated Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>The following applications have been enumerated on this device.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            CPE: microsoft:.net_framework            URI: /            Version: unknown</p> <p><b>Remediation:</b>            No remediation is required.</p>
18		Enumerated Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>The following applications have been enumerated on this device.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            CPE: microsoft:asp.net            URI: /            Version: 4.0.30319</p> <p><b>Remediation:</b></p>



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						No remediation is required.
19		Discovered HTTP Methods	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>Requesting the allowed HTTP OPTIONS from this host shows which HTTP protocol methods are supported by its web server. Note that, in some cases, this information is not reported by the web server accurately.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="http://67.227.238.50/">http://67.227.238.50/</a>            Methods: OPTIONS, TRACE, GET, HEAD, POST</p> <p><b>Remediation:</b>            Review your web server configuration and ensure that only those HTTP methods required for your business operations are enabled.</p>
20		Discovered Web Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>The following web applications were discovered on the remote HTTP server.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<b>Remediation:</b> No remediation is required.
21		Discovered Web Directories	0.00	Info	Pass	<b>Port:</b> tcp/80  It was possible to guess one or more directories contained in the publicly accessible path of this web server.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> URL: <a href="http://67.227.238.50:80/admin/">http://67.227.238.50:80/admin/</a> HTTP Response Code: 500 URL: <a href="http://67.227.238.50:80/_utils/">http://67.227.238.50:80/_utils/</a> HTTP Response Code: 403 URL: <a href="http://67.227.238.50:80/api/soap/?wsdl">http://67.227.238.50:80/api/soap/?wsdl</a> HTTP Response Code: 302 URL: <a href="http://67.227.238.50:80/_archive/">http://67.227.238.50:80/_archive/</a> URL: <a href="http://67.227.238.50:80/_backup/">http://67.227.238.50:80/_backup/</a> URL: <a href="http://67.227.238.50:80/_cti_pvt/">http://67.227.238.50:80/_cti_pvt/</a> URL: <a href="http://67.227.238.50:80/_derived/">http://67.227.238.50:80/_derived/</a> URL: <a href="http://67.227.238.50:80/_errors/">http://67.227.238.50:80/_errors/</a> URL: <a href="http://67.227.238.50:80/_fpclass/">http://67.227.238.50:80/_fpclass/</a> URL: <a href="http://67.227.238.50:80/_mem_bin/">http://67.227.238.50:80/_mem_bin/</a> URL: <a href="http://67.227.238.50:80/_notes/">http://67.227.238.50:80/_notes/</a> URL: <a href="http://67.227.238.50:80/_objects/">http://67.227.238.50:80/_objects/</a>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>URL: <a href="http://67.227.238.50:80/_old/">http://67.227.238.50:80/_old/</a></p> <p>URL: <a href="http://67.227.238.50:80/_pages/">http://67.227.238.50:80/_pages/</a></p> <p>URL: <a href="http://67.227.238.50:80/_passwords/">http://67.227.238.50:80/_passwords/</a></p> <p>URL: <a href="http://67.227.238.50:80/_private/">http://67.227.238.50:80/_private/</a></p> <p>URL: <a href="http://67.227.238.50:80/_ScriptLibrary/">http://67.227.238.50:80/_ScriptLibrary/</a></p> <p>URL: <a href="http://67.227.238.50:80/_scripts/">http://67.227.238.50:80/_scripts/</a></p> <p>URL: <a href="http://67.227.238.50:80/_sharedtemplates/">http://67.227.238.50:80/_sharedtemplates/</a></p> <p>URL: <a href="http://67.227.238.50:80/_tests/">http://67.227.238.50:80/_tests/</a></p> <p>URL: <a href="http://67.227.238.50:80/_themes/">http://67.227.238.50:80/_themes/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_bin/">http://67.227.238.50:80/_vti_bin/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_bot/">http://67.227.238.50:80/_vti_bot/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_log/">http://67.227.238.50:80/_vti_log/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_pvt/">http://67.227.238.50:80/_vti_pvt/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_shm/">http://67.227.238.50:80/_vti_shm/</a></p> <p>URL: <a href="http://67.227.238.50:80/_vti_txt/">http://67.227.238.50:80/_vti_txt/</a></p> <p>URL: <a href="http://67.227.238.50:80/Admin/">http://67.227.238.50:80/Admin/</a></p> <p>URL: <a href="http://67.227.238.50:80/css/">http://67.227.238.50:80/css/</a></p> <p>URL: <a href="http://67.227.238.50:80/datafiles/">http://67.227.238.50:80/datafiles/</a></p> <p>URL: <a href="http://67.227.238.50:80/db/">http://67.227.238.50:80/db/</a></p> <p>URL: <a href="http://67.227.238.50:80/graphics/">http://67.227.238.50:80/graphics/</a></p> <p>URL: <a href="http://67.227.238.50:80/images/">http://67.227.238.50:80/images/</a></p> <p>URL: <a href="http://67.227.238.50:80/includes/">http://67.227.238.50:80/includes/</a></p> <p>URL: <a href="http://67.227.238.50:80/reports/">http://67.227.238.50:80/reports/</a></p> <p>HTTP Response Code: 401</p> <p>URL: <a href="http://67.227.238.50:80/stylesheets/">http://67.227.238.50:80/stylesheets/</a></p> <p>URL: <a href="http://67.227.238.50:80/temp/">http://67.227.238.50:80/temp/</a></p> <p><b>Remediation:</b> Review these directories and verify that there is no unintentional content made available to remote users.</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
22		Protected Web Page	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>The web server requires authentication for some resources. Several authentication types are available such as: 1) Basic is the most simplistic and sends credentials in clear text 2) NTLM can be used for single sign on in a Microsoft environment, but it cannot be used on both a proxy and the web server 3) Digest is a cryptographically strong scheme but credentials can still be brute forced or discovered through dictionary attacks. Note that this list is limited to ten instances of this finding.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Protected Webpage: http://67.227.238.50/reports/            Authentication Type: ntlm            Authentication Realm:</p> <p><b>Remediation:</b>            Confirm that the authentication in use is appropriate.</p>
23		.htr ISAPI Mappings	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>Microsoft HTR extensions are known to have numerous serious security vulnerabilities.</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.htr HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: reg.planetreg.com            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQABBTBAB=HECGEGNDCCGIPCAAHOKBBGBD; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:07 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
24		Discovered HTTP Methods	0.00	Info	Pass	<b>Port:</b> tcp/80

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>Requesting the allowed HTTP OPTIONS from this host shows which HTTP protocol methods are supported by its web server. Note that, in some cases, this information is not reported by the web server accurately.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="http://reg.planetreg.com/">http://reg.planetreg.com/</a>            Methods: OPTIONS, TRACE, GET, HEAD, POST</p> <p><b>Remediation:</b>            Review your web server configuration and ensure that only those HTTP methods required for your business operations are enabled.</p>
25		Discovered Web Directories	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>It was possible to guess one or more directories contained in the publicly accessible path of this web server.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="http://reg.planetreg.com:80/admin/">http://reg.planetreg.com:80/admin/</a>            HTTP Response Code: 500</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						URL: <a href="http://reg.planetreg.com:80/_utils/">http://reg.planetreg.com:80/_utils/</a> HTTP Response Code: 403 URL: <a href="http://reg.planetreg.com:80/api/soap/?wsdl">http://reg.planetreg.com:80/api/soap/?wsdl</a> HTTP Response Code: 302 URL: <a href="http://reg.planetreg.com:80/_archive/">http://reg.planetreg.com:80/_archive/</a> URL: <a href="http://reg.planetreg.com:80/_backup/">http://reg.planetreg.com:80/_backup/</a> URL: <a href="http://reg.planetreg.com:80/_cti_pvt/">http://reg.planetreg.com:80/_cti_pvt/</a> URL: <a href="http://reg.planetreg.com:80/_derived/">http://reg.planetreg.com:80/_derived/</a> URL: <a href="http://reg.planetreg.com:80/_errors/">http://reg.planetreg.com:80/_errors/</a> URL: <a href="http://reg.planetreg.com:80/_fpclass/">http://reg.planetreg.com:80/_fpclass/</a> URL: <a href="http://reg.planetreg.com:80/_mem_bin/">http://reg.planetreg.com:80/_mem_bin/</a> URL: <a href="http://reg.planetreg.com:80/_notes/">http://reg.planetreg.com:80/_notes/</a> URL: <a href="http://reg.planetreg.com:80/_objects/">http://reg.planetreg.com:80/_objects/</a> URL: <a href="http://reg.planetreg.com:80/_old/">http://reg.planetreg.com:80/_old/</a> URL: <a href="http://reg.planetreg.com:80/_pages/">http://reg.planetreg.com:80/_pages/</a> URL: <a href="http://reg.planetreg.com:80/_passwords/">http://reg.planetreg.com:80/_passwords/</a> URL: <a href="http://reg.planetreg.com:80/_private/">http://reg.planetreg.com:80/_private/</a> URL: <a href="http://reg.planetreg.com:80/_ScriptLibrary/">http://reg.planetreg.com:80/_ScriptLibrary/</a> URL: <a href="http://reg.planetreg.com:80/_scripts/">http://reg.planetreg.com:80/_scripts/</a> URL: <a href="http://reg.planetreg.com:80/_sharedtemplates/">http://reg.planetreg.com:80/_sharedtemplates/</a> URL: <a href="http://reg.planetreg.com:80/_tests/">http://reg.planetreg.com:80/_tests/</a> URL: <a href="http://reg.planetreg.com:80/_themes/">http://reg.planetreg.com:80/_themes/</a> URL: <a href="http://reg.planetreg.com:80/_vti_bin/">http://reg.planetreg.com:80/_vti_bin/</a> URL: <a href="http://reg.planetreg.com:80/_vti_bot/">http://reg.planetreg.com:80/_vti_bot/</a> URL: <a href="http://reg.planetreg.com:80/_vti_log/">http://reg.planetreg.com:80/_vti_log/</a> URL: <a href="http://reg.planetreg.com:80/_vti_pvt/">http://reg.planetreg.com:80/_vti_pvt/</a> URL: <a href="http://reg.planetreg.com:80/_vti_shm/">http://reg.planetreg.com:80/_vti_shm/</a> URL: <a href="http://reg.planetreg.com:80/_vti_txt/">http://reg.planetreg.com:80/_vti_txt/</a> URL: <a href="http://reg.planetreg.com:80/Admin/">http://reg.planetreg.com:80/Admin/</a>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						URL: <a href="http://reg.planetreg.com:80/css/">http://reg.planetreg.com:80/css/</a> URL: <a href="http://reg.planetreg.com:80/datafiles/">http://reg.planetreg.com:80/datafiles/</a> URL: <a href="http://reg.planetreg.com:80/db/">http://reg.planetreg.com:80/db/</a> URL: <a href="http://reg.planetreg.com:80/graphics/">http://reg.planetreg.com:80/graphics/</a> URL: <a href="http://reg.planetreg.com:80/images/">http://reg.planetreg.com:80/images/</a> URL: <a href="http://reg.planetreg.com:80/includes/">http://reg.planetreg.com:80/includes/</a> URL: <a href="http://reg.planetreg.com:80/reports/">http://reg.planetreg.com:80/reports/</a> HTTP Response Code: 401 URL: <a href="http://reg.planetreg.com:80/stylesheets/">http://reg.planetreg.com:80/stylesheets/</a> URL: <a href="http://reg.planetreg.com:80/temp/">http://reg.planetreg.com:80/temp/</a>  <b>Remediation:</b> Review these directories and verify that there is no unintentional content made available to remote users.
26		Protected Web Page	0.00	Info	Pass	<b>Port:</b> tcp/80  The web server requires authentication for some resources. Several authentication types are available such as: 1) Basic is the most simplistic and sends credentials in clear text 2) NTLM can be used for single sign on in a Microsoft environment, but it cannot be used on both a proxy and the web server 3) Digest is a cryptographically strong scheme but credentials can still be brute forced or discovered through dictionary attacks. Note that this list is limited to ten instances of this finding.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b> Protected Webpage: http://reg.planetreg.com/reports/ Authentication Type: ntlm Authentication Realm:</p> <p><b>Remediation:</b> Confirm that the authentication in use is appropriate.</p>
27		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b></p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a> <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a>  <b>Evidence:</b> URL: http://reg.planetreg.com/about.asp  <b>Remediation:</b> It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.
28		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<b>Port:</b> tcp/80  During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N</p> <p><b>Service:</b> http</p> <p><b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: http://reg.planetreg.com/association_events.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
29		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: http://reg.planetreg.com/bible_school.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
30		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: http://reg.planetreg.com/camp_registration.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
31		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: http://reg.planetreg.com/charity_events.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
32		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/80</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: http://reg.planetreg.com/church_event_software.asp</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Remediation:</b> It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
33		Enumerated SSL/TLS Cipher Suites	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>The finding reports the SSL cipher suites for each SSL/TLS service version provided by the remote service. This finding does not represent a vulnerability, but is only meant to provide visibility into the behavior and configuration of the remote SSL/TLS service. The information provided as part of this finding includes the SSL version (ex: TLSv1) as well as the name of the cipher suite (ex: RC4-SHA).</p> <p>A cipher suite is a set of cryptographic algorithms that provide authentication, encryption, and message authentication code (MAC) as part of an SSL/TLS negotiation and through the lifetime of the SSL session. It is typical that an SSL service would support multiple cipher suites. A cipher suite can be supported by across multiple SSL/TLS versions, so you should be of no concern to see the same cipher name reported for multiple</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://www.openssl.org/docs/apps/ciphers.html">http://www.openssl.org/docs/apps/ciphers.html</a></p>



# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b></p> <p>Cipher Suite: TLSv1_1 : ECDHE-RSA-AES256-SHA            Cipher Suite: TLSv1_1 : AES256-SHA            Cipher Suite: TLSv1_1 : ECDHE-RSA-AES128-SHA            Cipher Suite: TLSv1_1 : AES128-SHA            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES256-GCM-SHA384            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES256-SHA384            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES256-SHA            Cipher Suite: TLSv1_2 : AES256-GCM-SHA384            Cipher Suite: TLSv1_2 : AES256-SHA256            Cipher Suite: TLSv1_2 : AES256-SHA            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES128-GCM-SHA256            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES128-SHA256            Cipher Suite: TLSv1_2 : ECDHE-RSA-AES128-SHA            Cipher Suite: TLSv1_2 : AES128-GCM-SHA256            Cipher Suite: TLSv1_2 : AES128-SHA256            Cipher Suite: TLSv1_2 : AES128-SHA</p> <p><b>Remediation:</b>            No remediation is necessary.</p>
34		SSL-TLS Certificate Information	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>Information extracted from a certificate discovered on a TLS or SSL wrapped service.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b>            Verified: true            Today: 2018-06-30 12:53:20 -0500            Start date: 2018-06-29 00:00:00 UTC            End date: 2019-06-29 12:00:00 UTC            Expired: false            Fingerprint: B5:0C:CA:19:EE:86:9A:2F:D2:D4:35:27:7B:1D:A8:49            Subject: /CN=reg.planetreg.com            Common name: reg.planetreg.com            Issuer: /C=US/O=DigiCert Inc/OU=www.digicert.com/CN=RapidSSL RSA CA 2018            Signature Algorithm: sha256WithRSAEncryption            Version: 2</p>
35		.htr ISAPI Mappings	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>Microsoft HTR extensions are known to have numerous serious security vulnerabilities.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.htr HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: 67.227.238.50            Content-Type: text/html</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						Content-Length: 0  Response: HTTP/1.1 200 OK Cache-Control: private Content-Type: text/html Server: Microsoft-IIS/10.0 Set-Cookie: ASPSESSIONIDQEBBTBAB=KFCGEGNDABCBKENMDIROOMGMB; secure; path=/; HttpOnly X-Powered-By: ASP.NET Date: Sat, 30 Jun 2018 18:19:12 GMT Content-Length: 8024 Status code: equals '200'  <b>Remediation:</b> Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.
36		URLScan Detected	0.00	Info	Pass	<b>Port:</b> tcp/443  The web server appears to be using Microsoft's URLScan tool, an ISAPI filter that can be configured to block specified web requests.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Reference:</b> <a href="http://technet.microsoft.com/en-us/security/cc242650.aspx">http://technet.microsoft.com/en-us/security/cc242650.aspx</a>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Evidence:</b> Method: urlscan.ini 'MaxQueryString' is set to the default of 2048. Query strings longer than 2048 characters are rejected.</p> <p><b>Remediation:</b> No remediation necessary. This is identified for informational purposes.</p>
37		Enumerated Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>The following applications have been enumerated on this device.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b> CPE: microsoft:iis URI: / Version: 10.0</p> <p><b>Remediation:</b> No remediation is required.</p>
38		Enumerated Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>The following applications have been enumerated on this device.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> CPE: microsoft:.net_framework URI: / Version: unknown  <b>Remediation:</b> No remediation is required.
39		Enumerated Applications	0.00	Info	Pass	<b>Port:</b> tcp/443  The following applications have been enumerated on this device.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis  <b>Evidence:</b> CPE: microsoft:asp.net URI: / Version: 4.0.30319  <b>Remediation:</b> No remediation is required.
40		Discovered HTTP Methods	0.00	Info	Pass	<b>Port:</b> tcp/443

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>Requesting the allowed HTTP OPTIONS from this host shows which HTTP protocol methods are supported by its web server. Note that, in some cases, this information is not reported by the web server accurately.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="https://67.227.238.50/">https://67.227.238.50/</a>            Methods: OPTIONS, TRACE, GET, HEAD, POST</p> <p><b>Remediation:</b>            Review your web server configuration and ensure that only those HTTP methods required for your business operations are enabled.</p>
41		Discovered Web Applications	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>The following web applications were discovered on the remote HTTP server.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Remediation:</b>            No remediation is required.</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
42		Discovered Web Directories	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>It was possible to guess one or more directories contained in the publicly accessible path of this web server.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="https://67.227.238.50:443/admin/">https://67.227.238.50:443/admin/</a>            HTTP Response Code: 500            URL: <a href="https://67.227.238.50:443/_utils/">https://67.227.238.50:443/_utils/</a>            HTTP Response Code: 302            URL: <a href="https://67.227.238.50:443/api/soap/?wsdl">https://67.227.238.50:443/api/soap/?wsdl</a>            URL: <a href="https://67.227.238.50:443/_archive/">https://67.227.238.50:443/_archive/</a>            URL: <a href="https://67.227.238.50:443/_backup/">https://67.227.238.50:443/_backup/</a>            URL: <a href="https://67.227.238.50:443/_cti_pvt/">https://67.227.238.50:443/_cti_pvt/</a>            URL: <a href="https://67.227.238.50:443/_derived/">https://67.227.238.50:443/_derived/</a>            URL: <a href="https://67.227.238.50:443/_errors/">https://67.227.238.50:443/_errors/</a>            URL: <a href="https://67.227.238.50:443/_fpclass/">https://67.227.238.50:443/_fpclass/</a>            URL: <a href="https://67.227.238.50:443/_mem_bin/">https://67.227.238.50:443/_mem_bin/</a>            URL: <a href="https://67.227.238.50:443/_notes/">https://67.227.238.50:443/_notes/</a>            URL: <a href="https://67.227.238.50:443/_objects/">https://67.227.238.50:443/_objects/</a>            URL: <a href="https://67.227.238.50:443/_old/">https://67.227.238.50:443/_old/</a>            URL: <a href="https://67.227.238.50:443/_pages/">https://67.227.238.50:443/_pages/</a>            URL: <a href="https://67.227.238.50:443/_passwords/">https://67.227.238.50:443/_passwords/</a>            URL: <a href="https://67.227.238.50:443/_private/">https://67.227.238.50:443/_private/</a>            URL: <a href="https://67.227.238.50:443/_ScriptLibrary/">https://67.227.238.50:443/_ScriptLibrary/</a>            URL: <a href="https://67.227.238.50:443/_scripts/">https://67.227.238.50:443/_scripts/</a></p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						URL: <a href="https://67.227.238.50:443/_sharedtemplates/">https://67.227.238.50:443/_sharedtemplates/</a> URL: <a href="https://67.227.238.50:443/_tests/">https://67.227.238.50:443/_tests/</a> URL: <a href="https://67.227.238.50:443/_themes/">https://67.227.238.50:443/_themes/</a> URL: <a href="https://67.227.238.50:443/_vti_bin/">https://67.227.238.50:443/_vti_bin/</a> URL: <a href="https://67.227.238.50:443/_vti_bot/">https://67.227.238.50:443/_vti_bot/</a> URL: <a href="https://67.227.238.50:443/_vti_log/">https://67.227.238.50:443/_vti_log/</a> URL: <a href="https://67.227.238.50:443/_vti_pvt/">https://67.227.238.50:443/_vti_pvt/</a> URL: <a href="https://67.227.238.50:443/_vti_shm/">https://67.227.238.50:443/_vti_shm/</a> URL: <a href="https://67.227.238.50:443/_vti_txt/">https://67.227.238.50:443/_vti_txt/</a> URL: <a href="https://67.227.238.50:443/Admin/">https://67.227.238.50:443/Admin/</a> URL: <a href="https://67.227.238.50:443/css/">https://67.227.238.50:443/css/</a> URL: <a href="https://67.227.238.50:443/datafiles/">https://67.227.238.50:443/datafiles/</a> URL: <a href="https://67.227.238.50:443/db/">https://67.227.238.50:443/db/</a> URL: <a href="https://67.227.238.50:443/graphics/">https://67.227.238.50:443/graphics/</a> URL: <a href="https://67.227.238.50:443/images/">https://67.227.238.50:443/images/</a> URL: <a href="https://67.227.238.50:443/includes/">https://67.227.238.50:443/includes/</a> URL: <a href="https://67.227.238.50:443/stylesheets/">https://67.227.238.50:443/stylesheets/</a> URL: <a href="https://67.227.238.50:443/temp/">https://67.227.238.50:443/temp/</a>  <b>Remediation:</b> Review these directories and verify that there is no unintentional content made available to remote users.
43		.htr ISAPI Mappings	0.00	Info	Pass	<b>Port:</b> tcp/443  Microsoft HTR extensions are known to have numerous serious security vulnerabilities.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            Request: GET /trustkeeper12345.htr HTTP/1.1            Accept: */*            User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)            Host: reg.planetreg.com            Content-Type: text/html            Content-Length: 0</p> <p>Response: HTTP/1.1 200 OK            Cache-Control: private            Content-Type: text/html            Server: Microsoft-IIS/10.0            Set-Cookie: ASPSESSIONIDQEBBTBAB=DFCGEGNDEPAJOCAKBJJ DABDI;            secure; path=/; HttpOnly            X-Powered-By: ASP.NET            Date: Sat, 30 Jun 2018 18:19:10 GMT            Content-Length: 8024            Status code: equals '200'</p> <p><b>Remediation:</b>            Unmap all unnecessary ISAPI extensions. Install all current IIS security patches in order to reduce risk associated with required ISAPI extensions.</p>
44		Discovered HTTP Methods	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>Requesting the allowed HTTP OPTIONS from this host shows which</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>HTTP protocol methods are supported by its web server. Note that, in some cases, this information is not reported by the web server accurately.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="https://reg.planetreg.com/">https://reg.planetreg.com/</a>            Methods: OPTIONS, TRACE, GET, HEAD, POST</p> <p><b>Remediation:</b>            Review your web server configuration and ensure that only those HTTP methods required for your business operations are enabled.</p>
45		Discovered Web Directories	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>It was possible to guess one or more directories contained in the publicly accessible path of this web server.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Evidence:</b>            URL: <a href="https://reg.planetreg.com:443/admin/">https://reg.planetreg.com:443/admin/</a>            HTTP Response Code: 500            URL: <a href="https://reg.planetreg.com:443/_utils/">https://reg.planetreg.com:443/_utils/</a>            HTTP Response Code: 302</p>

# ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						URL: <a href="https://reg.planetreg.com:443/api/soap/?wsdl">https://reg.planetreg.com:443/api/soap/?wsdl</a> URL: <a href="https://reg.planetreg.com:443/_archive/">https://reg.planetreg.com:443/_archive/</a> URL: <a href="https://reg.planetreg.com:443/_backup/">https://reg.planetreg.com:443/_backup/</a> URL: <a href="https://reg.planetreg.com:443/_cti_pvt/">https://reg.planetreg.com:443/_cti_pvt/</a> URL: <a href="https://reg.planetreg.com:443/_derived/">https://reg.planetreg.com:443/_derived/</a> URL: <a href="https://reg.planetreg.com:443/_errors/">https://reg.planetreg.com:443/_errors/</a> URL: <a href="https://reg.planetreg.com:443/_fpclass/">https://reg.planetreg.com:443/_fpclass/</a> URL: <a href="https://reg.planetreg.com:443/_mem_bin/">https://reg.planetreg.com:443/_mem_bin/</a> URL: <a href="https://reg.planetreg.com:443/_notes/">https://reg.planetreg.com:443/_notes/</a> URL: <a href="https://reg.planetreg.com:443/_objects/">https://reg.planetreg.com:443/_objects/</a> URL: <a href="https://reg.planetreg.com:443/_old/">https://reg.planetreg.com:443/_old/</a> URL: <a href="https://reg.planetreg.com:443/_pages/">https://reg.planetreg.com:443/_pages/</a> URL: <a href="https://reg.planetreg.com:443/_passwords/">https://reg.planetreg.com:443/_passwords/</a> URL: <a href="https://reg.planetreg.com:443/_private/">https://reg.planetreg.com:443/_private/</a> URL: <a href="https://reg.planetreg.com:443/_ScriptLibrary/">https://reg.planetreg.com:443/_ScriptLibrary/</a> URL: <a href="https://reg.planetreg.com:443/_scripts/">https://reg.planetreg.com:443/_scripts/</a> URL: <a href="https://reg.planetreg.com:443/_sharedtemplates/">https://reg.planetreg.com:443/_sharedtemplates/</a> URL: <a href="https://reg.planetreg.com:443/_tests/">https://reg.planetreg.com:443/_tests/</a> URL: <a href="https://reg.planetreg.com:443/_themes/">https://reg.planetreg.com:443/_themes/</a> URL: <a href="https://reg.planetreg.com:443/_vti_bin/">https://reg.planetreg.com:443/_vti_bin/</a> URL: <a href="https://reg.planetreg.com:443/_vti_bot/">https://reg.planetreg.com:443/_vti_bot/</a> URL: <a href="https://reg.planetreg.com:443/_vti_log/">https://reg.planetreg.com:443/_vti_log/</a> URL: <a href="https://reg.planetreg.com:443/_vti_pvt/">https://reg.planetreg.com:443/_vti_pvt/</a> URL: <a href="https://reg.planetreg.com:443/_vti_shm/">https://reg.planetreg.com:443/_vti_shm/</a> URL: <a href="https://reg.planetreg.com:443/_vti_txt/">https://reg.planetreg.com:443/_vti_txt/</a> URL: <a href="https://reg.planetreg.com:443/Admin/">https://reg.planetreg.com:443/Admin/</a> URL: <a href="https://reg.planetreg.com:443/css/">https://reg.planetreg.com:443/css/</a> URL: <a href="https://reg.planetreg.com:443/datafiles/">https://reg.planetreg.com:443/datafiles/</a> URL: <a href="https://reg.planetreg.com:443/db/">https://reg.planetreg.com:443/db/</a>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						URL: <a href="https://reg.planetreg.com:443/graphics/">https://reg.planetreg.com:443/graphics/</a> URL: <a href="https://reg.planetreg.com:443/images/">https://reg.planetreg.com:443/images/</a> URL: <a href="https://reg.planetreg.com:443/includes/">https://reg.planetreg.com:443/includes/</a> URL: <a href="https://reg.planetreg.com:443/stylesheets/">https://reg.planetreg.com:443/stylesheets/</a> URL: <a href="https://reg.planetreg.com:443/temp/">https://reg.planetreg.com:443/temp/</a>  <b>Remediation:</b> Review these directories and verify that there is no unintentional content made available to remote users.
46		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<b>Port:</b> tcp/443  During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.  <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N <b>Service:</b> http <b>Application:</b> microsoft:iis

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/about.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
47		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N</p> <p><b>Service:</b> http</p> <p><b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/add_account.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
48		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/association_events.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
49		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta'</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<p>HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/bible_school.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.</p>
50		HTTP Responses Missing	0.00	Info	Pass	<b>Port:</b> tcp/443



## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
		Character Encoding				<p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/camp_registration.asp</p> <p><b>Remediation:</b>            It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						encoding.
51		HTTP Responses Missing Character Encoding	0.00	Info	Pass	<p><b>Port:</b> tcp/443</p> <p>During the crawl of the HTTP service, we detected HTML and/or XML documents that were missing any indication of their character set encoding. The server and the pages it serves are responsible for indicating the character set used to encode the documents. Typically, these are indicated within the "Content-type" HTTP header, a 'meta' HTTP-equiv HTML tag, or an XML document encoding header. Without these, some web browsers may attempt to guess the character set encoding of the document by making a guess based on whats available. The danger in this is when browsers guess the incorrect encoding, resulting in a misinterpretation of the document. In cases where a webpage will reflect user-supplied information, an attacker could provide a specially-crafted string that could trick a web browser into decoding the document as a specific character set. If this specially-crafted string were HTML code encoded in the character set, the attacker could perform a cross-site scripting attack.</p> <p><b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Service:</b> http  <b>Application:</b> microsoft:iis</p> <p><b>Reference:</b>  <a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>  <a href="http://wiki.whatwg.org/wiki/Web_Encodings">http://wiki.whatwg.org/wiki/Web_Encodings</a></p> <p><b>Evidence:</b>            URL: https://reg.planetreg.com/charity_events.asp</p>

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						<b>Remediation:</b> It's important that all documents served by the HTTP server provide the correct character set for their encoding. The provided links will provide information on the proper ways for indicating the character set encoding.
52		Enumerated Hostnames	0.00	Info	Pass	This list contains all hostnames discovered during the scan that are believed to belong to this host. <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Evidence:</b> Hostname: reg.planetreg.com, Source: SSL Certificate Subject Common Name Hostname: reg.planetreg.com, Source: SSL Certificate Subject subjectAltName DNS  <b>Remediation:</b> No action is required.
53		Unknown services found	0.00	Info	Pass	The finding reports all ports and protocols that couldn't be remotely identified. Particular items may indicate uncommon but safe protocols or in-house application that uses custom and/or proprietary protocol. However they can as well indicate malicious activity (backdoors, rootkits, any other types of malware). This finding is purely informational. <b>CVSSv2:</b> AV:N/AC:L/Au:N/C:N/I:N/A:N  <b>Evidence:</b> Unknown Service: transport protocol: tcp, port: 49668, ssl: false,

## ASV Scan Report Vulnerability Details

67.227.238.50						
#	CVE Number	Vulnerability	CVSS Score	Severity	Compliance Status	Details
						banner: (N/A)  <b>Remediation:</b> Review items mentioned in this finding one by one and ensure the services are known and accounted for in your security plan.

# ASV Feedback Form

This form is used to review ASVs and their work product, and is intended to be completed after a PCI Scanning Service by the ASV client. While the primary audience of this form are ASV scanning clients (merchants or service providers), there are several questions at the end, under "ASV Feedback Form for Payment Brands and Others," to be completed as needed by Payment Brand participants, banks, and other relevant parties. This form can be obtained directly from the ASV during the PCI Scanning Service, or can be found online in a usable format at <https://www.pcisecuritystandards.org>. Please send this completed form to PCI SSC at: [asv@pcisecuritystandards.org](mailto:asv@pcisecuritystandards.org).

<b>ASV FEEDBACK FORM</b>	
<b>Client Name (merchant or service provider):</b>	<b>Approved Scanning Vendor Company (ASV):</b>
Name	Name
Contact	Contact
Telephone	Telephone
E-Mail	E-Mail
<b>Business location where assessment took place:</b>	<b>ASV employee who performed assessment:</b>
Street	Name
City	Telephone
State/Zip	E-Mail
<p><b>For each question, please indicate the response that best reflects your experience and provide comments.</b></p> <p><b>4 = Strongly Agree   3 = Agree   2 = Disagree   1 = Strongly Disagree</b></p>	
<p><b>1) During the initial engagement, did the ASV explain the objectives, timing, and review process, and address your questions and concerns?</b></p>	
Response:	
Comments:	

**2) Did the ASV employee(s) understand your business and technical environment, and the payment card industry?**

Response:

Comments:

**3) Did the ASV employee(s) have sufficient security and technical skills to effectively perform this PCI Scanning Service?**

Response:

Comments:

**4) Did the ASV sufficiently understand the PCI Data Security Standard and the PCI Security Scanning Procedures?**

Response:

Comments:

**5) Did the ASV effectively minimize interruptions to operations and schedules?**

Response:

Comments:

**6) Did the ASV provide an accurate estimate for time and resources needed?**

Response:

Comments:

**7) Did the ASV provide an accurate estimate for scan report delivery?**

Response:

Comments:

**8) Did the ASV attempt to market products or services for your company to attain PCI compliance?**

Response:

Comments:

**9) Did the ASV imply that use of a specific brand of commercial product or service was necessary to achieve compliance?**

Response:

Comments:

**10) In situations where remediation was required, did the ASV present product and/or solution options that were not exclusive to their own product set?**

Response:

Comments:

**11) Did the ASV use secure transmission to send any confidential reports or data?**

Response:

Comments:

**12) Did the ASV demonstrate courtesy, professionalism, and a constructive and positive approach?**

Response:

Comments:

**13) Was there sufficient opportunity for you to provide explanations and responses during the scans?**

Response:

Comments:

**14) During the review wrap-up, did the ASV clearly communicate findings and expected next steps?**

Response:

Comments:

**15) Did the ASV provide sufficient follow-up to address false positives until eventual scan compliance was achieved?**

Response:

Comments:

**Please provide any additional comments here about the ASV, your PCI Scanning Service, or the PCI documents.**



**ASV FEEDBACK FORM FOR PAYMENT BRANDS AND OTHERS**

**Name of ASV Client (merchant or service provider reviewed):**

**ASV Company Name:**

Payment Brand Reviewer:

ASV employee who performed assessment:

Name

Name

Telephone

Telephone

E-Mail

E-Mail

**For each question, please indicate the response that best reflects your experience and provide comments.**

**4 = Strongly Agree   3 = Agree   2 = Disagree   1 = Strongly Disagree**

**1) Does the ASV clearly understand how to notify your payment brand about compliance and non-compliance issues, and the status of merchants and service providers?**

Response:

Comments:

**2) Did you receive any complaints about ASV activities related to this scan?**

Response:

Comments:

**3) Did the ASV demonstrate sufficient understanding of the PCI Data Security Standard and the PCI Security Scanning Procedures?**

Response:

Comments: